

IN THE CLAIMS


Please amend the claims as follows:

Claim 1 (Currently Amended): ~~The use of~~ A mineral building material composition comprising a mineral building material and a water-soluble or water-dispersible polymer, obtainable obtained by polymerizing

- a) at least one alkoxyated derivative of 3-allyloxy-1,2-propanediol (monomer A) and
- b) at least one ethylenically unsaturated mono- or dicarboxylic acid or the anhydrides, esters or mixtures thereof (monomer B) and
- c) if appropriate, one or more further ethylenically unsaturated monomers [[C,]]C.

~~as an additive in mineral building materials.~~

Claim 2 (Currently Amended): ~~The use of a polymer~~ The mineral building material composition according to claim 1, wherein at least one compound of the formula I




where

AO is C₁-C₁₂-alkylene oxide, styrene oxide or a mixture of two or more types thereof, it being possible for the two or more types to be linked either in random or in block form,

n and m, independently of one another, are each an integer from 1 to 300 and

R1 and R2, independently of one another, are each hydrogen, C₁-C₃₀-alkyl, C₅-C₈-cycloalkyl, C₆-C₂₀-aryl, C₁-C₃₀-alkanoyl, C₇-C₂₁-aroyl, sulfuric (mono)ester or phosphoric ester, is used as monomer A.

Claim 3 (Currently Amended): The ~~use of a polymer~~ mineral building material composition according to claim 1 [[or 2]], wherein at least one compound of the formula II




where

R3 and R4, independently of one another, may in each case be identical or different and are hydrogen or C₁-C₆-alkyl,
R5 is hydrogen, C₁-C₆-alkyl or a COOM group and
M is hydrogen, a monovalent or divalent metal ion, ammonium or an organic ammonium compound,
is used as monomer B.

Claim 4 (Currently Amended): The ~~use of a polymer~~ mineral building material composition according to ~~any of claims 1 to 3,~~ claim 1, wherein the weight average molecular weight M_w of the polymer is from 1 000 to 100 000.

Claim 5 (Currently Amended): The ~~use of a polymer~~ mineral building material composition according to ~~any of claims 1 to 4,~~ claim 1, wherein an ester of the formula III of (meth)acrylic acid with a polyalkylene oxide



where

R6 is hydrogen or a methyl radical,

AO is C₁-C₁₂-alkylene oxide, styrene oxide or a mixture of two or more types thereof, ~~it being possible for~~ the two or more types ~~[[to be]]~~ being linked either in random or in block form,

R7 is hydrogen, C₁-C₃₀-alkyl, C₅-C₈-cycloalkyl, C₆-C₂₀-aryl, C₁-C₃₀-alkanoyl or C₇-C₂₁-aroyl and

p is an integer from 1 to 300,

is used as monomer C.

Claim 6 (Currently Amended): ~~The use of a polymer according to any of claims 1 to 5 as a~~ A cement dispersant comprising the mineral building material composition of claim 1.


Claim 7 (Currently Amended): ~~The use of a polymer according to any of claims 1 to 6 as a~~ A gypsum dispersant comprising the mineral building material composition of claim 1.

Claim 8 (Original): A polymer obtainable by polymerizing

- a) at least one alkoxylated derivative of 3-allyloxy-1,2-propanediol (monomer A) and
- b) at least one ethylenically unsaturated mono- or dicarboxylic acid or the anhydrides, esters or mixtures thereof (monomer B) and

- c) if appropriate, one or more further ethylenically unsaturated monomers C.

Claim 9 (Original): The polymer according to claim 8, wherein at least one monomer C selected from the esters of (meth)acrylic acid with a polyalkylene oxide of the formula III



where

R6 is hydrogen or a methyl radical,


AO is C₁-C₁₂-alkylene oxide, styrene oxide or a mixture of two or more types thereof, it being possible for the two or more types to be linked either in random or in block form,

R7 is hydrogen, C₁-C₃₀-alkyl, C₅-C₈-cycloalkyl, C₆-C₂₀-aryl, C₁-C₃₀-alkanoyl or C₇-C₂₁-aroyl and

p is an integer from 1 to 300,

is used.

Claim 10 (Currently Amended): The polymer according to claim 8 [[or 9]], wherein at least one compound of the formula I



where


AO is C₁-C₁₂-alkylene oxide, styrene oxide or a mixture of two or more types thereof, it being possible for the two or more types to be linked either in random or in block form,

n and m, independently of one another, are each an integer from 1 to 300 and

R1 and R2, independently of one another, are each hydrogen, C₁-C₃₀-alkyl, C₅-C₈-cycloalkyl, C₆-C₂₀-aryl, C₁-C₃₀-alkanoyl, C₇-C₂₁-aroyl, sulfuric (mono)ester or phosphoric ester,

is used as monomer A.

Claim 11 (Currently Amended): The polymer according to ~~any of claims 8 to 10,~~
claim 8, wherein at least one compound of the formula II



where

R3 and R4, independently of one another, may in each case be identical or different and are hydrogen or C₁-C₆-alkyl,

R5 is hydrogen, C₁-C₆-alkyl or a COOM group and

M is hydrogen, a monovalent or divalent metal ion, ammonium or an organic ammonium compound,

is used as monomer B.

Claim 12 (Currently Amended): A cement dispersant comprising at least one polymer according to ~~any of claims 8 to 11~~ claim 8.

Claim 13 (Currently Amended): A gypsum dispersant comprising at least one polymer according to ~~any of claims 8 to 12~~ claim 8.

Claim 14 (Currently Amended): A mineral building material comprising cement, water and at least one polymer according to ~~any of claims 8 to 11~~ claim 8 and further conventional aggregates.

Claim 15 (Currently Amended): A mineral building material comprising gypsum, water and at least one polymer according to ~~any of claims 8 to 11~~ claim 8 and further conventional aggregates.